


LED PANEL LIGHT

WARNING:

1. Ensure that any installation and maintenance is performed by a qualified electrician and that luminaire is wired in accordance to the latest IEE electrical regulations or the local equipments.
2. Ensure that the power supply is off before installation and maintenance and not switched on until the installation or maintenance is completed.
3. The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.





The luminaire cannot be covered with thermal insulation matting or similar materials.



Caution: Risk of electric shock.


4. Do not apply force to the surface of the luminaire during installation.
5. If the external flexible cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.



Tridonic GmbH & Co KG
Faerbergasse 15
6851 Dornbirn / Austria

- Please read instruction carefully before assembling and installation.
- Please keep instruction as reference in the future.


TRIDONIC




Tridonic article number	Material Description (short text)	Vrated	LxWxH (mm)
28003274	ELA 600x600mm 3800lm 830 ADV2	39VDC	595x595x8.5
28003275	ELA 600x600mm 3800lm 840 ADV2		
28003276	ELA 600x600mm 3800lm 865 ADV2		
28003277	ELA 625x625mm 3800lm 830 ADV2		620x620x8.5
28003278	ELA 625x625mm 3800lm 840 ADV2		
28003279	ELA 1200x300mm 3800lm 830 ADV2		1195x295x8.5
28003280	ELA 1200x300mm 3800lm 840 ADV2		
28003281	ELA 1200x300mm 3800lm 865 ADV2		
28003282	ELA 600x600mm 3800lm 827-865 ADV2	35VDC	595x595x8.5
28003283	ELA 600x600mm 3800lm 830 ADV2 TPA	39VDC	
28003284	ELA 600x600mm 3800lm 840 ADV2 TPA		
28003285	ELA 600x600mm 3800lm 830 SNC2	40VDC	
28003286	ELA 600x600mm 3800lm 840 SNC2		
28003287	ELA 600x600mm 3800lm 865 SNC2		

Recessed mount


A1




A2




A3




A4




A5a




A5b



A6




A7




Suspension mount

B1




B2




Tridonic article	L1(mm)
ELA 600x600mm xxxxl 8xx ADV2	501
ELA 620x620mm xxxxl 8xx ADV2	526
ELA 1200x300mm xxxxl 8xx ADV2	695
ELA 600x600mm xxxxl 8xx SNC2	501
ELA 600x600mm xxxxl 8xx ADV2 TPA	501


B3










B4













B5




Surface mount 6060/6262



Surface mount 30120



3way CCT- SWITCH



2 Channel Dimming Driver

